



**TÜRK STANDARDLARI ENSTİTÜSÜ**  
**TÜRK STANDARDLARINA UYGUNLUK BELGESİ**  
**TURKISH STANDARDS INSTITUTION**  
**CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS**

Markanın Tanımı Description of the Mark  
TSE veya/or  veya/or T S E

<b>BELGE NUMARASI</b> REFERENCE NUMBER OF LICENCE	000134-TSE-15/02
<b>BELGENİN İLK VERİLİŞ TARİHİ</b> DATE OF FIRST ISSUE OF LICENCE	30.07.2012
<b>BELGENİN SON GEÇERLİLİK TARİHİ</b> LICENCE VALID UNTIL	11.11.2025
<b>BELGE SAHİBİ KURULUŞUN ADI</b> NAME OF THE LICENCE HOLDER	İZOCAM TİCARET VE SANAYİ ANONİM ŞİRKETİ
<b>BELGE SAHİBİ KURULUŞUN ADRESİ</b> ADDRESS OF THE LICENCE HOLDER	ALTAYÇEŞME MAH. ÇAMLI SK. NO:21 /4 MALTEPE İSTANBUL/TÜRKİYE
<b>ÜRETİM YERİ ADI</b> NAME OF THE MANUFACTURING PLACE	İZOCAM TİCARET VE SANAYİİ A.Ş
<b>ÜRETİM YERİ ADRESİ</b> ADDRESS OF THE MANUFACTURING PLACE	E-5 KARAYOLU P.K:18 DİLOVASI GEBZE KOCAELİ / TÜRKİYE
<b>İPTAL EDİLEN BELGE NUMARASI (Varsa)</b> INDICATION OF SUPERSEDED LICENCE (if any)	000134-TSE-15/01
<b>TESCİLLİ TİCARİ MARKASI</b> REGISTERED TRADE MARK	İZOCAM
<b>İLGİLİ TÜRK STANDARDI</b> RELATED TURKISH STANDARD	TS EN 14303 / 18.02.2016
<b>BELGE KAPSAMI</b> SCOPE OF LICENCE	

THERMAL INSULATION PRODUCTS-FOR BUILDING EQUIPMENT AND INDUSTRIAL INSTALLATIONS -  
FACTORY MADE MINERAL WOOL (MW) PRODUCTS-SPECIFICATION

1- MATTRESS (NOT FOR USE UNDER LOAD, WIRED UNCOATED)  
-REACTION TO FIRE: A1  
-THICKNESS CLASS: T2,  
THERMAL CONDUCTIVITY VALUES:  
50 oC: 0.048 W/MK  
100 oC: 0.058 W/MK  
150 oC: 0.068 W/MK  
200 oC: 0.078 W/MK  
250 oC: 0.089 W/MK  
Short Term Water Absorption: WP

*e-imzalı/e-signed*

10.05.2024

On Behalf Of The Head Of Certification Center  
AKDOĞAN BULUT

MANAGER OF THE TSE ISTANBUL CERTIFICATION  
DEPT. P.

\*This certificate also shows that the production place of the certified product meets the requirements of Institute.

\*This certificate under any circumstances cannot be changed, duplicated partially or in a way that makes it difficult to read and erasure cannot be done.

\*TSE \* Address: Çayırova Tren İstasyonu Yanı ÇAYIROVA/GEBZE \* Telephone: 2627231273\* Fax: 2627231606

\*TSE HEAD OF CERTIFICATION CENTER; Address: Necatibey Cad. No:112 06100 Bakanlıklar/ANKARA – Telephone: 0 312 416 64 81 / 416 64 27, Fax:0 312 416 66 17 E-mail

:bmb@tse.org.tr , web : www.tse.org.tr





**TÜRK STANDARDLARI ENSTİTÜSÜ**  
**TÜRK STANDARDLARINA UYGUNLUK BELGESİ**  
**TURKISH STANDARDS INSTITUTION**  
**CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS**



(000134-TSE-15/02nolu belge devamı) : İZOCAM TİCARET VE SANAYİ ANONİM ŞİRKETİ  
İLGİLİ TÜRK STANDARDI (RELATED TURKISH STANDARD) TS EN 14303 / 18.02.2016

Commercial Model: TYPE 700  
(S.C, 30.04.2024)  
2- MATTRESS (NOT FOR USE UNDER LOAD, WIRED UNCOATED)  
-REACTION TO FIRE: A1  
-THICKNESS CLASS: T2,  
THERMAL CONDUCTIVITY VALUES:  
50 oC: 0.047 W/MK  
100 oC: 0.057 W/MK  
150 oC: 0.067 W/MK  
200 oC: 0.077 W/MK  
250 oC: 0.087 W/MK  
Short Term Water Absorption: WP  
Commercial Model: TYPE 750  
(S.C, 30.04.2024)  
3- PLATE (NOT FOR USE UNDER LOAD, UNCOATED)  
-REACTION TO FIRE: A1  
-THICKNESS CLASS: T3,  
THERMAL CONDUCTIVITY VALUES:  
50 oC: 0.046 W/MK  
100 oC: 0.056 W/MK  
150 oC: 0.070 W/MK  
200 oC: 0.080 W/MK  
250 oC: 0.101 W/MK  
Short Term Water Absorption: WP  
Commercial Model: SL1  
(S.C, 30.04.2024)  
4- PLATE (NOT FOR USE UNDER LOAD, UNCOATED)  
-REACTION TO FIRE: A1  
-THICKNESS CLASS: T3,  
THERMAL CONDUCTIVITY VALUES:  
50 oC: 0.047 W/MK  
100 oC: 0.057 W/MK  
150 oC: 0.072 W/MK  
200 oC: 0.081 W/MK  
250 oC: 0.103 W/MK  
Short Term Water Absorption: WP  
Commercial Model: SL2  
(S.C, 30.04.2024)  
5- PLATE (NOT FOR USE UNDER LOAD, ALU FOIL COATED)  
-REACTION TO FIRE: A1  
-THICKNESS CLASS: T3,

*e-imzalı/e-signed*

10.05.2024

On Behalf Of The Head Of Certification Center  
AKDOĞAN BULUT

MANAGER OF THE TSE ISTANBUL CERTIFICATION  
DEPT. P.

\*This certificate also shows that the production place of the certified product meets the requirements of Institute.

\*This certificate under any circumstances cannot be changed, duplicated partially or in a way that makes it difficult to read and erasure cannot be done.

\*TSE \* Address: Çayırova Tren İstasyonu Yanı ÇAYIROVA/GEBZE \* Telephone: 2627231273\* Fax: 2627231606

\*TSE HEAD OF CERTIFICATION CENTER; Address: Necatibey Cad. No:112 06100 Bakanlıklar/ANKARA – Telephone: 0 312 416 64 81 / 416 64 27, Fax:0 312 416 66 17 E-mail

:bmb@tse.org.tr , web : www.tse.org.tr





**TÜRK STANDARDLARI ENSTİTÜSÜ**  
**TÜRK STANDARDLARINA UYGUNLUK BELGESİ**  
**TURKISH STANDARDS INSTITUTION**  
**CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS**



(000134-TSE-15/02nolu belge devamı) : İZOCAM TİCARET VE SANAYİ ANONİM ŞİRKETİ  
İLGİLİ TÜRK STANDARDI (RELATED TURKISH STANDARD) TS EN 14303 / 18.02.2016

**THERMAL CONDUCTIVITY VALUES:**

50 oC: 0.046 W/MK

100 oC: 0.056 W/MK

150 oC: 0.070 W/MK

200 oC: 0.080 W/MK

250 oC: 0.101 W/MK

Short Term Water Absorption: WP

Commercial Model: TKL 70

(S.C, 30.04.2024)

6- PIPE (NOT FOR USE UNDER LOAD, ALU FOIL COATED)

-REACTION TO FIRE: A2L-s1, d0

-THICKNESS CLASS: T8<150 mm,

: T9>150 mm,

**THERMAL CONDUCTIVITY VALUES:**

50 oC: 0.045 W/MK

100 oC: 0.055 W/MK

150 oC: 0.063 W/MK

200 oC: 0.070 W/MK

250 oC: 0.090 W/MK

Short Term Water Absorption: WP

(S.C, 30.04.2024)

7- MATTRESS (NOT FOR USE UNDER LOAD, WIRED UNCOATED)

-REACTION TO FIRE: A1

-THICKNESS CLASS: T2,

**THERMAL CONDUCTIVITY VALUES:**

50 oC: 0.048 W/MK

100 oC: 0.063 W/MK

150 oC: 0.073 W/MK

200 oC: 0.083 W/MK

250 oC: 0.093 W/MK

Short Term Water Absorption: WP

Commercial Model: TYPE 650

(S.C, 30.04.2024)

*e-imzalı/e-signed*

10.05.2024

On Behalf Of The Head Of Certification Center  
AKDOĞAN BULUT

MANAGER OF THE TSE ISTANBUL CERTIFICATION  
DEPT. P.

\*This certificate also shows that the production place of the certified product meets the requirements of Institute.

\*This certificate under any circumstances cannot be changed, duplicated partially or in a way that makes it difficult to read and erasure cannot be done.

\*TSE \* Address: Çayırova Tren İstasyonu Yanı ÇAYIROVA/GEBZE \* Telephone: 2627231273\* Fax: 2627231606

\*TSE HEAD OF CERTIFICATION CENTER; Address: Necatibey Cad. No:112 06100 Bakanlıklar/ANKARA – Telephone: 0 312 416 64 81 / 416 64 27, Fax:0 312 416 66 17 E-mail

:bmb@tse.org.tr , web : www.tse.org.tr

